MALE NPTF X HOSE BARB



** Referential image*
*** Some features may vary without prior notice. Sale subject to inventory availability*

DATE
: 11/23/2026 10:33 PM

SKU
: 201

BRAND
: DIXON VALVE

MODEL
: 1021206C

Applications:
Industrial air and non-potable water service
Compressor lines, pneumatic tools, low pressure spray
Construction air and water transfer

Use:
All standard hose fittings are intended for use with hose clamps or crimped ferrules.

Specifications:
4 Barbs, 2.00" OAL

Construction:
C360 Brass

Safety notes:
WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov

TECHNICAL SPECIFICATIONS

Description	3/4" Hose x 3/8" Male NPTF Brass Hose Barb
Factory Part Number	1021206C
Hex	7/8"
Hose ID	3/4"
Length	2"
Material	C360 Brass
Pressure Range	250 PSI at 72°F, 150 PSI at

2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us

Pressure Range	250 PSI at 72°F, 150 PSI at

KMX
2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us

Size	3/4" Hose x 3/8" Male NPTF
Temperature Range	-40°F to 160°F
Weight Lb	0.1150

KMX
2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us