# DQC E-SERIES STRAIGHT THROUGH INTERCHANGE FEMALE PLUG





** Referential image*
*** Some features may vary without prior notice. Sale subject to inventory availability*

DATE
: 11/23/2026 06:45 PM

SKU
: 12050

BRAND
: DIXON VALVE

MODEL
: E12F12

Features:
Straight-Through Pressure-Wash Interchange
Interchanges with Parker ST-Series, Foster FST-Series, Tomco Series-ST, Hansen ST-Series
These plugs have no internal valves, providing maximum flow with minimum pressure drop.

Construction:
Machined components are manufactured using solid steel
Steel componentry is plated using ROHS Compliant Trivalent Chrome
Steel nipples are hardened to provide heavy duty performance.

Safety notes:
Do Not Disconnect with pressure in line.
Dixon cannot assume liability for misapplication of products resulting in equipment down-time, lost production, property damage and/or personal injury including death.
WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov

## TECHNICAL SPECIFICATIONS

| | |
|---|---|
| **Body Size** | 1-1/2" |
| **Burst Pressure** | 8,000 PSI (552 Bar) |
| **Factory Part Number** | E12F12 |
| **Female Thread** | NPTF |
| **Female Thread Size** | 1-1/2" - 11-1/2 |
| **Hex** | 2-1/4" |
| **Length** | 2.74 (69.6mm) |



2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us

## TECHNICAL SPECIFICATIONS

| | |
|---|---|
| **Material** | Steel |
| **Maximum OD** | 2.60 (66.0mm) |
| **Maximum Operating Pressure** | 2,000 PSI (138 Bar) |
| **Weight Lb** | 1.1500 |



KMX
2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us