R43 SERIES 1 FRL'S WATER PRESSURE REGULATOR WITH GAUGE



** Referential image*
*** Some features may vary without prior notice. Sale subject to inventory availability*

DATE
: 11/24/2026 01:03 AM

SKU
: 26594

BRAND
: DIXON VALVE

MODEL
: R43-301RG

Applications:
Used in water systems to reduce and maintain pressure at a nearly constant level despite changes in the inlet pressure and changes in downstream flow requirements.

Features:
T-handle adjustment
Non-relieving type
Gauge port is full-flow and can be used as an outlet port
Supplied with a GC230 gauge

Construction:
Brass body and aluminum bonnet

Safety notes:
FRL\'s are designed for air service only, unless otherwise indicated.
Flow ratings given at 150 PSIG inlet pressure
WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov

TECHNICAL SPECIFICATIONS

Factory Part Number	R43-301RG
Flow	5 GPM
Inlet Pressure	400 PSI
Mandatory Pkg/Box Qty	1
Port	3/8"
Pressure Range	5-125 PSI
Temperature Range	Water Service: 35° to 200°F (2°C to

2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us

93°C),
Air Service: -30° to 200°F (-34°C to 93°C)

Temperature Range	Water Service: 35° to 200°F (2°C to

KMX
2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us

	93°C), Air Service: -30° to 200°F (-34°C to 93°C)
Weight Lb	2.8300

KMX
2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us