SYNTHETIC DOUBLE JACKET MILL HOSE



** Imágenes referenciales*
*** Algunas características pueden variar sin previo aviso, venta sujeta a stock disponible*

FECHA
: 11/23/2026 10:08 PM

SKU
: 23905

MARCA
: DIXON VALVE

MODELO
: DM15100RAT

Applications:
Ideal for open end discharge applications.

Construction:
Outer: White, Double Jacket, all synthetic
Tube: Black, natural rubber liner
Coupled with male and female, Rocker Lug, Aluminum Expansion Ring Couplings

Available Options:
Consult Dixon for pricing and availability on 75' lengths and other threads and configurations.

Safety notes:
Not intended for fire fighting service.
Double jacket hoses are not recommended for use with field re-attachable couplings.
WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov

ESPECIFICACIONES TÉCNICAS

Bowl Size	1-13/16"
Coupling Type	Male and male NPT thread, rocker lug, aluminum expansion ring couplings
Hose Size	1-1/2"
Color	White
Pressure Rating	250 PSI

2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us

KMX
2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us

2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us

KMX
2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us

Weight Lb	17.4010
Factory Part Number	DM15100RAT

2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us