DIX-LOCK® N-SERIES BOWES INTERCHANGE COUPLER WITH FERRULE MALE LOCKING HEAD



** Imágenes referenciales*
*** Algunas características pueden variar sin previo aviso, venta sujeta a stock disponible*

FECHA
: 11/23/2026 11:18 PM

SKU
: 25119

MARCA
: DIXON VALVE

MODELO
: N4S6-B-LS-WF

Construction:
Machined components are manufactured using solid brass bar stock
Stainless steel retaining ring and spring maximize corrosion resistance and extend service life
Steel componentry is plated using ROHS Compliant Trivalent Chrome
Coupling sleeve constructed of cast zinc steel
Aluminum lock ring

Available Options:
Also available in stainless steel, contact Dixon® for further information

Compatibility & Interchange Data:
Bowes Interchange Bayonet Style
Interchangeable with Bowes 51000-Series, National Series 'B', MacDonald Quick-Action, Campbell Single-Lock

Safety notes:
WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov

ESPECIFICACIONES TÉCNICAS

Body Size	1/2"
Factory Part Number	N4S6-B-LS-WF
Hose ID	3/4"
Hose OD From	1-10/64"
Hose OD To	1-22/64"
Material	Brass
Pressure Rating	300 PSI at ambient temperature 70°F

2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us

Pressure Rating	300 PSI at ambient temperature 70°F

KMX
2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us

Weight Lb	0.9200

KMX
2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us