R43 SERIES 1 FRL'S WATER PRESSURE REGULATOR WITH GAUGE



** Imágenes referenciales*
*** Algunas características pueden variar sin previo aviso, venta sujeta a stock disponible*

FECHA
: 11/24/2026 01:12 AM

SKU
: 26593

MARCA
: DIXON VALVE

MODELO
: R43-201RG

Applications:
Used in water systems to reduce and maintain pressure at a nearly constant level despite changes in the inlet pressure and changes in downstream flow requirements.

Features:
T-handle adjustment
Non-relieving type
Gauge port is full-flow and can be used as an outlet port
Supplied with a GC230 gauge

Construction:
Brass body and aluminum bonnet

Safety notes:
FRL\'s are designed for air service only, unless otherwise indicated.
Flow ratings given at 150 PSIG inlet pressure
WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov

ESPECIFICACIONES TÉCNICAS

Factory Part Number	R43-201RG
Flow	5 GPM
Inlet Pressure	400 PSI
Mandatory Pkg/Box Qty	1
Port	1/4"
Pressure Range	5-125 PSI
Temperature Range	Water Service: 35° to 200°F (2°C to

2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us

93°C),
Air Service: -30° to 200°F (-34°C to 93°C)

Temperature Range	Water Service: 35° to 200°F (2°C to

KMX
2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us

	93°C), Air Service: -30° to 200°F (-34°C to 93°C)
Weight Lb	2.9600

2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us