# R43 SERIES 1 FRL'S WATER PRESSURE REGULATOR WITH GAUGE




** Imágenes referenciales*
*** Algunas características pueden variar sin previo aviso, venta sujeta a stock disponible*

FECHA
: 11/24/2026 01:03 AM

SKU
: 26594

MARCA
: DIXON VALVE

MODELO
: R43-301RG

Applications:
Used in water systems to reduce and maintain pressure at a nearly constant level despite changes in the inlet pressure and changes in downstream flow requirements.

Features:
T-handle adjustment
Non-relieving type
Gauge port is full-flow and can be used as an outlet port
Supplied with a GC230 gauge

Construction:
Brass body and aluminum bonnet

Safety notes:
FRL\'s are designed for air service only, unless otherwise indicated.
Flow ratings given at 150 PSIG inlet pressure
WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov

## ESPECIFICACIONES TÉCNICAS

| | |
|---|---|
| **Factory Part Number** | R43-301RG |
| **Flow** | 5 GPM |
| **Inlet Pressure** | 400 PSI |
| **Mandatory Pkg/Box Qty** | 1 |
| **Port** | 3/8" |
| **Pressure Range** | 5-125 PSI |
| **Temperature Range** | Water Service: 35° to 200°F (2°C to |



2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us

93°C),<br/>Air Service: -30° to 200°F (-34°C to 93°C)

| | |
|---|---|
| **Temperature Range** | Water Service: 35° to 200°F (2°C to |



KMX
2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us

| | |
|---|---|
| | 93°C),<br/>Air Service: -30° to 200°F (-34°C to 93°C) |
| **Weight Lb** | 2.8300 |



2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us